



T. +44 (0) 23 8070 6600    [www.truvox.com](http://www.truvox.com)

Global Floorcare Solutions



CONTENTS

ROTARIES	3 - 7
INJECTION EXTRACTION	8 - 12
VACUUMS	13 - 17
SCRUBBER DRYERS	18 - 22
CIMEX THREE BRUSH	23 - 25
ESCALATOR / SWEEPERS	26 - 28
AIR MOVERS	29 - 30

ROTARIES

Truvox's comprehensive range of Orbis single disc rotaries includes machines for stripping, scrubbing, spray cleaning, polishing and shampooing. Versatile, economical and powerful enough for the toughest floor maintenance demands.







Orbis® eco



This cost-effective rotary comes inclusive of a driveboard, and arrives preassembled to save you both time and money.

- Folding handle for easy storage
  - Ergonomic design and low vibration levels for operator comfort and ease of use
  - High pad/brush pressure for effective cleaning
- Available in 200 rpm, 400 rpm and Duo dual speed
  - High productivity through 1100 W motor
  - Optional solution tank\* for wet scrubbing

Model		Orbis® eco 200 (43cm)	Orbis® eco 400 (43cm)	Orbis® eco DUO (43cm)
Product Code		OB45200/ECO	OB45400/ECO	OBLP452/400/ECO
TECHNICAL SPECIFICATION				
Voltage AC (~)/ Frequency	V/Hz	230/50	230/50	230/50
Motor Power	W	1100	1100	1100 / 550
Productivity Rate	m²/h	475	475	475
Pad / brush speed	rpm	190	380	154 / 309
Pad / brush pressure	g/cm²	22	22	27
Pad / brush diameter	cm	43	43	43
Sound pressure level	dB(A)	53	53	53
Dimensions (L x W x H) with handle	cm	62 x 43 x 121	62 x 43 x 121	62 x 43 x 121
Weight	kg	32	32	40
Cable length	m	15	15	15
Warranty		2 years subject to conditions		

\* The water tube required for the solution tank is only fitted as standard on the 200 & Duo models



ROTARIES



Orbis® Compact

A lightweight machine for small area cleaning and polishing.



- High pad/brush pressure for effective scrubbing
- 28 cm (11") diameter for easy manoeuvrability in confined areas
- 240 rpm for optimum cleaning power
- Optional solution tank\* for wet scrubbing
- Convenient quick-fold handle for easy storage and transport

Orbis® 200/ 200<sup>HD</sup>/400

These machines offer exceptional handling and productivity for cleaning and polishing hard floors.



- Orbis® 200 is ideal for cleaning, scrubbing, carpet shampooing and bonnet mopping
- Soft start motor system for easy handling
- Orbis® 400 is ideal for polishing and spray cleaning
- Optional spray attachment and solution tank\* available for improved productivity and cleaning results
- Available in 38 cm (15"), 43 cm (17") & 50 cm (20") versions

Orbis® Duo

This machine combines the best features of the 200 and 400 single speed machines.



- For scrubbing and polishing
- Ergonomic design and adjustable handle height suitable for any user
- Light weight and low vibration levels give excellent operator comfort – even on long cleaning shifts

Model		Orbis® Compact 28 cm (11")	Orbis® 200 38 cm (15")	Orbis® 400 38 cm (15")	Orbis® 200** 43 cm (17")	Orbis® 200 HD 43 cm (17")	Orbis® 400 43 cm (17")	Orbis® DUO 43 cm (17")	Orbis® 200 50 cm (20")	Orbis® 400 50 cm (20")
Product Code		OB28240	OB38200	OB38400	OB45200	OB45200/HD	OB45400	OBLP452/400	OB50200	OB50400
TECHNICAL SPECIFICATION										
Voltage AC (~)/ Frequency	V/Hz	230/50	230/50	230/50	230/50	230/50	230/50	230/50	230/50	230/50
Motor Power	W	550	1100	1100	1100	1100	1100	1100 / 550	1100	1100
Productivity Rate	m²/h	308	420	420	475	475	475	475	560	560
Pad / brush speed	rpm	240	190	380	190	190	380	154 / 309	190	380
Pad / brush pressure	g/cm²	35	28	28	22	27	22	27	18	18
Pad / brush diameter	cm	28	38	38	43	43	43	43	50	50
Sound pressure level	dB(A)	62	53	53	53	53	53	53	53	53
Sound pressure level (with vacuum)	dB(A)	-	69	69	69	69	69	69	69	69
Dimensions (L x W x H) with handle	cm	54 x 32 x 115	62 x 43 x 121	62 x 43 x 121	65 x 47 x 121	65 x 47 x 121	65 x 47 x 121	65 x 47 x 121	72 x 55 x 121	72 x 55 x 121
Weight	kg	22	32	32	32	40	32	36	32	32
Cable length	m	15	15	15	15	15	15	15	15	15
Warranty		2 years subject to conditions								

\* The water tube required for the solution tank is only fitted as standard on the 200 & Duo models  
\*\*110v models available



Orbis® UHS 1500

Ultra high speed single disc burnisher that delivers high productivity and high quality results.



- 1500 rpm for maximum gloss/shine
- Built-in floating pad assembly gives full pad contact
- Straight line operation for maximum productivity
- Easy and comfortable to use, ideal for long cleaning shifts
- Built-in dust collection
- Available in 43 cm (17") or 50 cm (20") working width
- Delivered preassembled with handle, saving time
- Folding handle for easy storage

Orbis® UHS Cordless Burnisher

Battery powered, ultra high speed rotary burnisher designed for daytime cleaning when customers, staff or patients are present.



- Burnishes at 1500 rpm for highly polished floors
- Up to two hours burnishing on a single battery charge
- Central castor wheel with a more evenly distributed pad loading for better performance
- Low profile for greater accessibility in all those awkward places
- Optional spray attachment

Orbis® Orbital 1500

Combines orbital and rotary motions into one, providing a constant vibration that increases cleaning efficiency.



- The roto-orbital movement gives the machine great stability enhancing the performance compared with a regular single disc machine
- Easy to use
- Suitable for use on different floors including carpets, hard floors, vinyl and stone
- Large wheels for easy transportation
- Optional additional weight of 12.5 kg available
- Optional solution tank, spray attachment and 12.5kg weight are available to improve productivity

TECHNICAL SPECIFICATION

		Orbis UHS 1500 OBF431500	Orbis UHS 1500 OB501500	Orbis Cordless Burnisher OCB451500	Orbital 1500 OB451500
(Charging) Voltage AC (~) / Frequency	V/Hz	230/50	230/50	100-230/50-60	230/50
Battery voltage DC	V/Hz	-	-	24 (2 x 12V)	-
Battery details	Ah	-	-	44 (C5)	-
Motor power	W	1100	1100	480	1100
Capacity	litres	1	1	-	-
Run time	hrs	-	-	2	-
Charge time	hrs	-	-	8	-
Productivity rate	m²/hr	860	1000	860	-
Pad / brush speed	rpm	1500	1500	1500	1490
Pad / brush pressure	g/cm²	5.5	4	3	45
Pad / brush diameter	cm	43	50	43	43
Sound pressure level	dB(A)	65.7	65.7	62.1	56.6
Sound pressure level with vacuum	dB(A)	69	69	-	-
Dimensions with handle	kg	65 x 47 x 125	72 x 55 x 125	70 x 45 x 86	66 x 46 x 125
Weight	kg	34	34.5	62.5 (with batteries)	50.5
Cable length	mm	15	15		15
Warranty	m	2 years subject to conditions		1 year subject to conditions	

ROTARIES

ACCESSORIES

Part No.	Description	Orbis® Compact 28 cm (11")	Orbis® 38 cm (15")	Orbis® 43 cm (17")	Orbis® eco 43cm (17")	Orbis® 50 cm (20")	Orbis® 1500 43 cm (17") & 50 cm (20")	Orbis® Cordless Burnisher	Orbital 1500
DRIVE BOARDS									
05-4441-0500	Drive disc	○							
05-4673-0500	Flexi drive disc (38 cm)		○						
05-4714-0000	Drive board (200)			○	●				
05-3437-0500	Flexi drive disc (400/Duo)			○	●				
05-4181-0000	Drive disc					○			
BRUSHES									
05-4442-0500	Polypropylene scrubbing brush (28 cm)	○							
05-4524-0500	Polypropylene scrubbing brush (38 cm) (200)		○						
05-4675-0500	Polypropylene scrubbing brush (38 cm) (400)		○						
05-4674-0500	Palmyra floor brush (38 cm)		○						
05-3431-0500	Polypropylene scrubbing brush (200)			○	○				
05-3469-0500	Polypropylene scrubbing brush (400/Duo)			○	○				
05-3433-0000	Carpet shampoo brush (200/Duo)			○	○				
05-3434-0500	Palmyra polishing brush (wet or dry use)			○	○				
05-3435-0500	Palmyra floor brush (dry use only)			○	○				
9560020	Scrubbing brush								○
VACUUM									
05-3771-0000	Vacuum unit, bracket and hose (Power Take Off Kit is required, 10-0123-0000)		○	○		○	○		
02-3526-0000	Vacuum bags (pack of 10)		○	○		○	○		
05-4510-0000	Vacuum skirt (38 cm)		○						
05-3441-0000	Vacuum skirt (43 cm)			○					
05-3768-0000	Vacuum skirt (50 cm)					○			
05-4761-0000	Vacuum skirt (43 cm)						●		
05-4762-0000	Vacuum skirt (50 cm)						●		
SOLUTION / SPRAY									
05-4435-0500	Solution tank (5 litres)	○			○				○
05-3468-0000	Solution tank (12 litres)*		○	○		○	○	○	○
05-4156-0000	Spray system kit, inc. mounting bracket & tubing.		○	○		○	○	○	○
05-3151-0000	Anti-splash skirt (43 cm)			○	○				
05-4257-0000	Anti-splash skirt (50 cm)					○			
05-5000-0000	Solution tank (5 litres)				○				
MISCELLANEOUS									
03-8061-0000	Furniture guard (28 cm)	○							
03-8122-0000	Furniture guard (38 cm)		○						
03-6111-0000	Furniture guard (43 cm)			○	○		●		
03-6728-0000	Furniture guard (50 cm)					○	●		
05-3785-0000	Heavy duty conversion kit - for Orbis 200			○					
03-6703-0000	Dust control cloth bag						●		
03-6685-0057	Dust control collection box						●		
2030071	12.5kg additional weight								○

● Standard ○ Optional

\*The water tube required for the solution tank is only fitted as standard on the 200 & Duo models




Spray system kit



Polypropylene brush



Solution tank



Flexi drive disc



Vacuum unit



Orbital 12.5kg weight



# INJECTION/ EXTRACTION

Truvox offers a range of carpet cleaning machines that are suited to both small and large areas. Cleaning deep into the carpet these machines are ideal for care homes, schools and offices.



## Hydromist® Compact



An all-in-one spray extraction machine for carpet and upholstery cleaning.

- Easy to use all-in-one machine
- Powerful vacuum, pump and brush motors give maximum productivity
- 250 mm cleaning width
- Powerful built-in rotary brush lifts dirt from deep within the carpet
- High capacity 14 litre solution tank for maximum cleaning and minimum refilling

Model		Hydromist® Compact
Product Code		HC250
TECHNICAL SPECIFICATION		
Voltage AC (~)/ Frequency	V/Hz	230/50-60
Vacuum Motor Power	W	1200
Airflow rate	l/s	56
Solution Flow rate	l/min	0.8
Vacuum / Water lift	kPa / mmwg	22 / 2243
Solution tank capacity	litres	14
Recovery tank capacity	litres	11.5
Pump power	W	26
Pump pressure	bar/psi	1.5 / 21.76
Brush width	cm	24.5
Brush speed	rpm	800-1000
Sound pressure level	dB(A)	73
Dimensions (L x W x H)	cm	54 x 36 x 87
Dimensions (L x W x H) without handle	cm	54 x 36 x 66
Weight	kg	22.5
Cable length	m	12
Warranty		1 year subject to conditions





Hydromist® Lite

Light and compact carpet and upholstery spray extractor.



- Two-stage action gives professional results every time:
  - Spray cleaning solution into soiled carpets or upholstery
  - Extracts dirt and stains with its powerful 1100W vacuum motor
- Easy to fill and empty removable tanks
- Simple controls for ease of use
- Comes complete with tools for cleaning carpets, upholstery and car interiors

Hydromist® 10/10HD/20HD

Compact spray extractors for effective carpet cleaning, that are ideal for use in nursing homes, day centres, hotels, shops, offices and the hire trade.



- Powerful 72 psi pump sprays solution deep into carpet pile releasing more dirt
- Strong 1100W vacuum maximises solution recovery, minimising carpet drying time after cleaning
- Available in 10 or 20 litre capacity
- Compact size enables cleaning in confined areas

Model		Hydromist® Lite	Hydromist® 10	Hydromist® 10HD	Hydromist® 20HD
Product Code		HML	HM10	HM10HD	HM20HD
TECHNICAL SPECIFICATION					
Voltage AC (~)/ Frequency	V/Hz	230/50-60	230/50-60	230/50-60	230/50-60
Vacuum Motor Power	W	1200	1100	1100	1100
Airflow rate	l/s	46.1	32.2	32.2	32.2
Solution Flow rate	l/min	2	1.5	1.5	1.5
Vacuum / Water lift	kPa / mmwg	22 / 2243	23/2345	23/2345	23/2345
Solution tank capacity	litres	6.5	10	10	20
Recovery tank capacity	litres	7	10	10	20
Pump type		Magnet	Magnet	Diaphragm	Diaphragm
Pump power	W	50	40	40	40
Pump pressure	bar/psi	4 / 58	4.4 / 63.81	5.5 / 79.77	5.5 / 79.77
Sound pressure level	dB(A)	78	78	78	78
Dimensions (L x W x H)	cm	53 x 37 x 43	51 x 37.5 x 43	51 x 37.5 x 43	51 x 37.5 x 54
Weight	kg	10	15.8	14.4	16.4
Hose length	m	3	3	3	3
Cable length	m	4.5	10	10	10
Warranty		1 year subject to conditions			

Hydromist® 55 100/400

Spray extractors ideal for large area carpet cleaning in conference centres, hotels and offices.



- Available in two models:
- Hydromist® 55/100 offers an economical way to clean large carpeted areas with a spray injection of 100 psi
  - Hydromist® 55/400 offers an in-line heater and variable spray injection of up to 400 psi for the ultimate performance
- Both Hydromist® 55 models feature:
- 50 litre solution tank to maximise cleaning capacity
  - Powerful twin 2-stage vacuum motors that provide excellent solution recovery and minimise drying time

Model		Hydromist® 55 100	Hydromist® 55 400	Hydromist® 35
Product Code		HM55/100	HM55/400	HM35
TECHNICAL SPECIFICATION				
Voltage AC (~)/ Frequency	V/Hz	230/50	230/50	230/50
Vacuum Motor Power	W	2 x 1200	2 x 1200	1350
Airflow rate	l/s	45.8	45.8	42.5
Solution Flow rate	l/min	0.5	1.4	6.8
In-line Heater Power	W	n/a	3000	-
Vacuum / Water lift	kPa / mmwg	45/4588	45/4588	30 / 3059
Solution tank capacity	litres	50	50	35
Recovery tank capacity	litres	30	30	35
Pump type		Electrovanne	Electrovanne	Electrovanne
Pump power	W	240	500	180
Pump pressure	bar/psi	6.8/100	27.6/400	6.9 / 100
Brush width	cm	-	-	45
Brush speed	rpm	-	-	1800
Brush adjustment		-	-	Floating
Sound pressure level	dB(A)	86	86	78
Dimensions (L x W x H)	cm	87 x 61 x 115	87 x 61 x 115	93 x 47 x 88
Weight	kg	47	60.5	47
Cable length	m	15	15	15
Warranty		1 year subject to conditions		

Hydromist® 35

Self-contained carpet extractor that cleans in a single pass and leaves carpets almost dry.



- 35 litre capacity and 45 cm cleaning path is ideal for large areas
- Solution is delivered at 100 psi through two jets for even application
- Floating brush head maintains contact with carpet for improved agitation
- Separate vacuum, brush and pump switches for ease of use
- Compact unit for easy storage



ACCESSORIES

Part No.	Description	Hydromist® Lite	Hydromist® 10	Hydromist® 10HD & 20HD	Hydromist® Compact	Hydromist® 35	Hydromist® 55/100	Hydromist® 55/400
HOSES								
20-0153-0000	Hose assembly including vacuum and solution hose	●						
93-0125-0000	Hose assembly		●	●				
20-0175-0000	6m low pressure hose, up to 100psi					○	●	
20-0176-0000	15m low pressure hose, up to 100psi						○	
20-0180-0000	6m high pressure hose, up to 400psi							●
20-0181-0000	15m high pressure hose, up to 400psi							○
WANDS								
20-0155-0000	Wand	●						
93-0140-0000	Standard carpet tool with wand & hose		●					
93-0141-0000	Heavy duty carpet tool with wand & hose			●				
05-3679-0500	Wand (heavy duty)				○			
20-0177-0000	Wand – single jet stainless steel, up to 400psi					○	○	○
20-0178-0000	Wand – twin jet stainless steel, up to 400psi						○	○
TOOLS								
93-0142-0000	Standard upholstery tool		○					
93-0143-0000	Heavy duty upholstery tool			○				
20-0179-0000	Standard upholstery tool						○	
20-0182-0000	Heavy duty upholstery tool							○
KITS								
20-0156-0000	Tool set including carpet & upholstery tools	●						
05-3406-0000	Accessory kit including bag, hose & upholstery tool				○			
20-0183-0000	Upholstery cleaning kit including hose & tool					○		
MISCELLANEOUS								
03-6029-0000	Hose bag for storage of hose & tools	○	○	○				

● Standard   ○ Optional



Heavy duty upholstery tool



Tool set including carpet & upholstery tools



Upholstery cleaning kit including hose & tool



Hydromist compact accessory kit

VACUUMS

The Truvox range of commercial vacuum cleaners offers reliability, suction power, task-specific filtration and ease of use. Ideal for daytime cleaning in commercial environments.





# Valet Battery Upright II & Valet Battery backpack



These battery powered vacuums offer great performance and provides access to areas without power. Both models include a quick interchangeable battery system that enables longer run times.

### Valet Battery Upright II

- Lithium-ion battery provides 50 minutes of runtime
- HEPA 13 bag included
- Convenient carry handle for easy transportation
- Weighing only 5.5kg makes it ideal for transporting between cleaning jobs

### Valet Battery Backpack

- Lithium-ion battery provides 55 minutes of runtime
- Specially designed Aircomfort system from Deuter keeps a layer of air between the operator and the machine
- Colour coded display indicating the battery status

Model		Valet Battery Upright II	Valet Battery Backpack
Product Code		VBUII	VBPIIe/B
TECHNICAL SPECIFICATION			
Voltage AC (~)/ Frequency	V/Hz	100-240/50-60	100-240/50-60
Battery voltage DC	V	43.8	36
Battery Details	Ah	6.0	9.9
Vacuum Motor Power	W	312	426
Filtration		H13 media bag	4-stage/HEPA 10
Run time	mins	50	55
Charge Time	hrs	2.5	2.5
Airflow rate	l/s	26	28
Vacuum / Water lift	kPa / mmwg	12 / 1223	16.5 / 1676
Capacity	litres	7	5
Productivity Rate	m²/h	297	983
Brush width	cm	29	-
Brush speed	rpm	3000	-
Wand length	mm	-	563/943
Hose length	m	-	1.5
Sound pressure level	dB(A)	71	73.8
Sound power level	dB(A)	-	83
Dimensions (L x W x H)	cm	32 x 27 x 103	36 x 36 x 64
Weight with battery	kg	5.5	9
Weight without battery	kg	-	6
Warranty		1 year subject to conditions	



### VTVe

A compact tub vacuum that offers great performance, excellent manoeuvrability and has an A energy rating.



- Weighing only 6kg the VTVe is light and manoeuvrable making it ideal for transporting between cleaning jobs
- Cable storage wrap to prevent tangling
- 11.5 litre capacity for high productivity
- Inclusive of HEPA 13 fleece bag
- Storage of the crevice tool and brush tool at the rear of the machine for easy accessibility during use

### Valet Wide Area Vac

The 70 cm cleaning width and high efficiency twin 1000W vacuum motors make this vacuum ideal for large area vacuuming.



- 1800 rpm brush loosens deep down dirt and revives carpet pile
- Brush height can be adjusted to five different positions, depending on the type of carpet you are vacuuming
- Large 40 litre capacity for maximum productivity

### VBPIIe

Ideal for small and congested areas such as theatres, buses and trains.



- The ergonomic back support and harness positions the unit away from the operator's body and comfortably supports the machine on the hips
- 4-stage filtration system
- Supplied with carpet and hard floor tools plus accessory tool kit to suit your cleaning needs

Model		VTVe	Valet Wide Area Vac	VBPIIe
Product Code		VTVe	VWAV	VBPIIe
TECHNICAL SPECIFICATION				
Voltage AC (~)/ Frequency	V/Hz	220-240/50	230/50	230/50
Vacuum Motor Power	W	800	2 x 1000	850
Filtration		3-stage (with H13 filter)	4-stage clean-air	4-stage
Airflow rate	l/s	30.5	-	40
Vacuum / Water lift	kPa / mmwg	24.8 / 2529	15.7 / 1600	20 / 2040
Capacity	litres	11.5	40	5
Productivity Rate	m²/h	232	743	676
Sound pressure level	dB(A)	65	70	68
Sound power level	dB(A)	72	-	76
Brush width	cm	-	70	-
Brush speed	rpm	-	1800	-
Brush adjustment		-	5 pile settings	-
Dimensions (L x W x H)	cm	34 x 33 x 37	50 x 76 x 91	25 x 30 x 60
Weight	kg	6	43	5
Wand length	mm	576/956	-	563/943
Hose length	m	2	-	1.5
Cable length	m	12	25	15
Warranty		1 year subject to conditions		



Valet Aqua 20  
Heavy Duty

Its 20 litre capacity and compact size makes this vacuum ideal for those smaller jobs in offices, education facilities and leisure centres.



- Swivel hose connector allows the vacuum to be moved without fear of disconnection
- Polyethylene tank for durability
- Castors give exceptional mobility
- Supplied with a full set of tools

Valet Aqua 55  
Heavy Duty

This wet/dry vacuum is designed for heavy duty commercial use and to help maintain a safe working environment.



- Simple and easy to use
- Avoid slip hazards by removing spillages
- Polyethylene tank for durability
- Drain hose for easy emptying
- Supplied with a full set of tools

Valet Aqua 55 /  
75 Industrial

The 18 gauge stainless steel tank adds to its long lasting durability. Perfect for hard floor maintenance jobs, recovering floor strippers and hard floor cleaners.



- Durable trolley with push handle for easy manoeuvrability
- Swivel hose connector allows 360° hose rotation, letting you move the vacuum without fear of disconnection
- Tank hinges on frame for easy “tip and pour” emptying
- Supplied with a full set of tools
- Valet Aqua 75 Industrial has twin motors that give the airflow required for extreme heavy duty performance

Model		Valet Aqua 20 HD VA20HD	Valet Aqua 55 HD VA55HD	Valet Aqua 55 IND VA55IND	Valet Aqua 75 IND VA75IND
Product Code					
TECHNICAL SPECIFICATION					
Voltage AC (~)/ Frequency	V/ Hz	230/50	230/50	230/50	230/50
Motor power	W	1200	1200	1200	2400
No. of motors		1	1	1	2
Airflow rate	l/s	54	54	54	90
Vacuum / Water lift	kPa / mmwg	24.9/2539	24.9/2539	24.9/2539	19.9/2029
Capacity	l	18.9	56.8	56.8	75.7
Sound pressure level	dB(A)	85	85	85	85
Dimensions (L x W x H)	cm	39 x 39 x 56	40 x 64 x 90	50 x 39 x 92	75 x 64 x 94
Weight	kg	10.4	27.7	27.7	35.4
Hose length	m	2	3	3	3
Cable length	m	8	8	8	8
Warranty		1 year subject to conditions			

ACCESSORIES

Part No.	Description	Valet Battery Upright II	Valet Wide Area Vac	VTVe	VBPIIe	Valet Battery Backpack	Valet Aqua 20HD	Valet Aqua 55HD	Valet Aqua 55 IND	Valet Aqua 75 IND
HOSES										
87-0026-0000	Hose			●						
U2-U11-085	Hose				●	●				
20-0104-0000	Hose						●			
20-0054-0000	Hose							●	●	●
WANDS										
87-0027-0000	Telescopic wand			●						
87-0044-0000	Two piece wand			○						
89-0010-0000	Telescopic wand				●	●				
20-0105-0000	Extension tube set						●			
20-0056-0000	Extension tube set							●	●	●
FLOOR TOOLS										
HB15C	ECO floor tool			●	●	●				
FB45	Floor tool			●						
20-0059-0000	Dry floor tool							●	●	●
20-0091-0000	Wet floor tool						●			
20-0038-0000	Wet floor tool							●	●	●
FM100H	Fixed floor nozzle							○		
FM100	Fixed floor nozzle								○	
FM200	Fixed floor nozzle									○
UPHOLSTERY TOOLS										
87-0029-0000	Tool kit, dusting brush, crevice tool			●						
89-0016-0000	Small accessory tool set				●	●				
20-0106-0000	Crevice tool & dusting brush						●			
20-0057-0000	Crevice tool & dusting brush							●	●	●
VACUUM BAGS										
05-4741-0000	Fleece vacuum bag pack of 10 bags	○								
90701	Pack of 10 disposable dust bags		○							
05-4739-0000	Fleece vacuum bag pack of 12 bags			○						
U2-U11-078	Pack of 10 disposable dust bags				○	○				
89-0037-0000	Pack of 10 microfibre dust bags				○	○				
MISCELLANEOUS										
X1200	Lithium Ion Battery 361Wh					●				
X9184	VBULL battery	●								

● Standard ○ Optional





# SCRUBBER DRYERS

Truvox scrubber dryers are simple to operate, adaptable and produce consistently good cleaning results regardless of operator, floor type or application environments.



## SCRUBBER DRYERS

### Multiwash™ II 340/Pump Battery

The battery powered Multiwash™ is ideal for cleaning during the day where staff, patients and customers are present.



- No trailing cables minimising the risk of trips and slips
- Continuous run time of up to 50 minutes
- Quick change battery system enabling longer run times with a second battery
- 4 litre solution tank that is removable and easy to clean

Model	Multiwash™ II 340/Pump Battery	
Product Code	MW340/PUMP/B	
TECHNICAL SPECIFICATION		
Charging Voltage AC (~)/ Frequency	V/Hz	100-240/50-60
Battery voltage DC	V	24
Battery Details	Ah	10
Motor Power (+ pump)	W	300 + 26
Run time	mins	50
Charge Time	hrs	5.5
Solution tank capacity	litres	4
Productivity Rate	m²/h	930
Brush width	cm	34
Brush speed	rpm	400
Brush pressure	g/cm²	250
Sound pressure level	dB(A)	66
Dimensions (L x W x H)	cm	37.8 x 44 x 111.4
Weight	kg	22
Warranty	1 year subject to conditions	

### Orbis® Battery Scrubber II

This compact and manoeuvrable battery operated scrubber dryer is ideal for small to medium sized areas in restaurants, schools, leisure centres and healthcare premises.



- 17 litre solution tank capacity making it one of the largest capacity scrubber dryers in its class on the market
- 38 cm cleaning width
- Easy to fill and empty solution and recovery tanks
- Cleans approximately 1100 m²/hour
- Battery run time of 80 minutes
- Inclusive of maintenance free gel batteries and integrated charger making it simple to recharge at any location
- Works on multiple hard floor types including concrete, terrazzo, marble, slate, stone and vinyl composition

Model	Orbis® Battery Scrubber II	
Product Code	OBS38130/G	
TECHNICAL SPECIFICATION		
Charging Voltage AC (~)/ Frequency	V/Hz	220 - 240 /50-60
Battery voltage DC	V	24 (2 x 12V)
Battery Details	Ah	25 (C5)
Vacuum Motor Power	W	250
Brush motor power	W	260
Run time	hrs	1.3
Charge Time	hrs	8
Airflow rate	l/s	28
Vacuum / Water lift	kPa / mmwg	7.0 / 714
Solution tank capacity	litres	17
Recovery tank capacity	litres	26
Productivity Rate	m²/h	1100
Pad / brush speed	rpm	130
Pad / brush pressure	g/cm²	35
Pad / brush diameter	cm	38
Drying width	cm	45
Sound pressure level	dB(A)	65
Dimensions (L x W x H) with handle	cm	90 x 40 x 110
Dimensions (L x W x H) without handle	cm	90 x 40 x 75
Weight with batteries	kg	62
Warranty	1 year subject to conditions	



# Multiwash™ Pro

The new re-designed range of Multiwash Pro scrubber dryers will wash, scrub and dry in just one single pass. Giving improved cleaning results, your floors will be left clean and dry ready for your customers and staff to walk on.



**SIMPLE**

One simple push button to dispense cleaning solution



**4 LITRE TANK**

Accessible and removable tank for fast filling, emptying and cleaning



**ACCESSORIES**



Side brush allows you to clean right up to the edge



Trolley allows for easy transportation



7 litre solution tank for greater productivity

**VERSATILE**

Effective on all floors with brushes available for carpets, hard floors, escalators and entrance matting



**EASY**

Handle assembly is quick and easy to assemble to the base, ready for the machine to be used



**EFFECTIVE**

Easy to change brush pressure to accommodate floor type and level of dirt



**POWERFUL**

Counter-rotating cylindrical brushes scrub & lift dirt and water onto a rotating recovery drum to pick up solution



**EFFICIENT**

Exceptional pick up of solution that leaves floors ready to walk on in seconds



**INCREASED PRODUCTIVITY**

Increased brush diameter gives 12% more scrubbing power providing an even better cleaning performance



Model		Multiwash™ Pro 240	Multiwash™ Pro 340	Multiwash™ Pro 440
Product Code		MWPRO240	MWPRO340	MWPRO440
TECHNICAL SPECIFICATION				
Voltage AC (~V) Frequency	V/Hz	230/50	230/50	230/50
Motor Power (+ pump)	W	750 + 26	950 + 26	1150 + 26
Solution tank capacity	litres	4	4	4
Productivity Rate	m²/h	250	350	450
Brush width	cm	24	34	44
Brush speed	rpm	650	650	650
Brush pressure	g/cm²	220	190	170
Sound pressure level	dB(A)	69	69	71
Dimensions (L x W x H)	cm	39 x 35 x 111	39 x 45 x 111	39 x 55 x 111
Weight	kg	21.5	26.5	31
Cable length	m	12	12	12
Warranty			1 year subject to conditions	



ACCESSORIES

Part No.	Description	Multiwash™ Pro 240	Multiwash™ Pro 340	Multiwash™ Pro 440	MW340/ Pump Battery	Orbis® Battery Scrubber II
DRIVE BOARD						
05-4620-0000	Drive board					○
BRUSHES						
05-4621-0000	Standard brush - black					○
05-4622-0000	Soft brush (white)					○
Multiwash Pro 240						
90-0727-0000	Standard brush - black (Pack of 2)	●				
90-0730-0000	Soft brush - grey (Pack of 2)	○				
90-0733-0000	Hard brush - blue (Pack of 2)	○				
90-0736-0000	Escalator brush - blue (Pack of 2)	○				
90-0722-0000	Side brush - black	○				
Multiwash Pro 340						
90-0728-0000	Standard brush - black (Pack of 2)		●			
90-0880-0000	Standard brush - red (Pack of 2)		○			
90-0781-0000	Standard brush - yellow (Pack of 2)		○			
90-0874-0000	Standard brush - blue (Pack of 2)		○			
90-0877-0000	Standard brush - green (Pack of 2)		○			
90-0731-0000	Soft brush - grey (Pack of 2)		○			
90-0734-0000	Hard brush - blue (Pack of 2)		○			
90-0737-0000	Escalator brush - blue (Pack of 2)		○			
90-0723-0000	Side brush - black		○			
Multiwash 340 Pump/Battery						
90-0130-0000	Standard brush - black*				○	
05-4760-0500	Standard brush - red (Pack of 2)				○	
05-4755-0000	Standard brush - yellow (Pack of 2)				○	
05-4756-0000	Standard brush - blue (Pack of 2)				○	
05-4757-0000	Standard brush - green (Pack of 2)				○	
90-0131-0000	Soft brush - grey*				○	
90-0089-0000	Hard brush - blue*				○	
90-0090-0000	Escalator brush - blue*				○	
90-0719-0000	Escalator side brush				○	
90-0132-0000	Side brush - black				○	
Multiwash 440						
90-0729-0000	Standard brush - black (Pack of 2)			●		
90-0732-0000	Soft brush - grey (Pack of 2)			○		
90-0735-0000	Hard brush - blue (Pack of 2)			○		
90-0738-0000	Escalator brush - blue (Pack of 2)			○		
90-0724-0000	Side brush - black			○		
MISCELLANEOUS						
05-4779-0000	Trolley for Multiwash Pro models	○	○	○		
05-3395-0500	Trolley for Multiwash II models				○	
90-0726-0000	7 litre tank	○	○	○		
90-0556-0000	Battery Pack				●	
90-0726-0000	7 litre tank for Multiwash Pro models only	○	○	○		

● Standard ○ Optional

\*Note: Sold Individually, 2 Required



THREE BRUSH

The Cimex range of three-brush multi-purpose floor cleaning machines offers unbeatable performance, ease of use and increased operator safety.





## Cimex® Cyclone

Cimex cyclone scrubber/polishers are multi-purpose machines suitable for scrubbing, cleaning and polishing virtually every type of floor in a commercial or industrial environment.



- Ideal for concrete, wood, vinyl, carpet, rubber or tiles
- Floating brushes provide effective cleaning action of grout lines, slip resistant floors and textured natural stone
- Triple-brush action prevents cable snagging
- Reversing brush action extends brush life
- A complete range of brushes are available for carpet shampooing, scrubbing hard floors, cleaning quarry tiles and any dimpled or uneven floor surface

## Cimex-Encap®

A high productivity, cost effective, low moisture carpet cleaning system.



- The system features polymer chemistry that encapsulates dirt for cleaner carpets for longer
- Deep cleaning restores brightness to even heavily soiled carpets
- Low moisture cleaning so carpets dry quickly
- No soil attracting residues, which means that carpets stay cleaner for longer

## Cimex® Heavy-Duty

Heavy duty three-brush machines for scarifying, industrial cleaning and floor preparation.



- Cimex® triple brush action for safe operation and maximum effectiveness
- Auto reverse action for extended brush life and brush tip re-sharpening
- Triple-brush action prevents cable snagging
- Durable construction, designed for heavy duty industrial use
- Floating brushes effective on uneven surfaces
- Diamond finisher model for preparing and maintaining marble, terrazzo and other stone floors

Model		Cyclone 38	Cyclone 38	Cyclone 48	Heavy Duty 48	Diamond Finisher 48
Product Code		CR38	CRS38	CR48	R48/HD	CR48/DF
TECHNICAL SPECIFICATION						
Voltage AC (~)/ Frequency	V/ Hz	230/50/60	230/50/60	230/50/60	230/50/60	230/50/60
Motor power	W	370	370	750	1550	1550
Solution tank capacity	l	25	25	25	-	25
Productivity rate - Scrubbing	m²/h	1140	1140	1440	1140	-
Productivity rate - Polishing	m²/h	1710	1710	2160	1710	-
Productivity rate – Spray clean	m²/h	850	850	1080	850	-
Productivity - Shampooing	m²/h	-	1140	1440	-	-
Pad/brush speed	rpm	620	400	400	400	880
Pad/brush pressure	g/cm²	45	45	38	-	-
Pad/brush diameter	cm	16.5	16.5	20	20	20
Working width	cm	38	38	48	48	48
Sound pressure level	dB(A)	60	60	60	-	65
Dimensions (L x W x H)	cm	74 x 40 x 112	74 x 40 x 112	80 x 50 x 112	75 x 55 x 120	75 x 55 x 120
Weight	kg	38	38	47	60	60
Ballast weights	kg	-	-	-	17	17
No. of weights supplied with machine		-	-	-	2	2
Cable length	m	15	15	15	15	15
Warranty		1 year subject to conditions				

# ACCESSORIES

### CIMEX

Part No.	Description	CR38	CRS38	CR48	R48/HD	CR48/DF
DRIVE DISCS						
11-1662-0500	Drive disc	○	○			
11-2062-0500	Drive disc			○		
11-2060-0500	Velcro drive disc			○		
05-4346-0000	Velcro drive back for diamond tooling					○
BRUSHES						
11-1601-0500	Fibre (biscuit) - general purpose scrubbing	○	○			
11-1603-0500	Polypropylene (yellow) - light scrub	○	○			
11-1604-0500	Polypropylene (yellow) - medium scrub	○	○			
11-1605-0500	Nylon (white) - standard scrub	○	○			
11-1607-0500	Shampoo brushes (white)	○	○			
11-2001-0500	Fibre (biscuit) – general purpose scrubbing			○	○	○
11-2003-0500	Polypropylene (yellow) – light scrub			○	○	○
11-2004-0500	Polypropylene (yellow) - medium scrub			○	○	○
11-2005-0500	Nylon (white) - standard scrub			○	○	○
11-2007-0500	Shampoo brushes (white)			○	○	○
11-2013-0500	Bronze/Polypropylene (white/bronze) – abrasive scrub			○	○	○
11-2016-0500	Tynex (grey) – extra heavy duty scrub			○	○	○
11-2041-0500	Crimped wire – chequer plate cleaning				○	○
11-2043-0500	Steel wire 18G – concrete finishing				○	○
11-2045-0000	Bronze wire 18G – spark free scarifying				○	○
11-2049-0500	Steel wire 3 x 16G - general scarifying				○	○
11-2051-0500	Steel wire 3 x 14G – heavy duty scarifying				○	○
MISCELLANEOUS						
03-6938-0000	Spare retaining clips for heavy duty brushes (set)				○	○
03-7004-0000	Spare horseshoe weight (17kg each)				○	○

● Standard ○ Optional

### CIMEX ENCAP

Part No.	Description	CR48
PADS		
11-2062-0500	Pad drives (set of 3)	○
06-0309-0000	Cimex-Encap™ 8" pads (box of 15)	○
BRUSHES		
11-2007-0500	Shampoo brushes (set of 3)	○
06-0314-0000	Edging brush	○
CHEMICAL		
06-0326-0500	Cimex-Encap™ carpet cleaner (2 x 5 litres)	○
06-0308-0000	Cimex-Encap™ carpet spotter (6 x 1 Litre)	○
MISCELLANEOUS		
06-0310-0000	Cimex-Encap™ Trigger Spray Bottle	○
06-0311-0000	Cimex-Encap™ 2 Pint Measuring Jug	○
06-0312-0000	Cimex-Encap™ In Progress sign	○


● Standard ○ Optional



Pad drives  
(set of 3)



Cimex-Encap carpet  
cleaner (2 x 5 litres)



Polypropylene (yellow) -  
Light scrub



Steel wire 3 x 16G  
general scarifying



Nylon (white) -  
Standard scrub



Bronze wire 18G -  
spark free scarifying



# ESCALATOR/ SWEEPERS

The X46 from Truvox offers a simple and effective way of cleaning escalator and travelator treads. The TruSweep 460 is a walk-behind manual sweeper that offers an efficient option for removing dirt and debris from areas that are not accessible by power.



## Cimex® X46



Escalator and travelator cleaner that gives a powerful cleaning and vacuuming performance and is ideal for airports, shopping centres, retail stores, underground stations and hotels.



- Automatic brush height adjustment for uniform performance
- Portable for multi-escalator sites
- Very easy to use and minimal training required for increased efficiency
- Powered rotating brushes for fast, effective cleaning
- Brush change is quick and easy
- Inclusive of Tynex and nylon brushes for both routine and aggressive cleaning

Model	Cimex® X46	
Product Code	X46	
TECHNICAL SPECIFICATION		
Voltage AC (~)/ Frequency	V/ Hz	230/50
Vacuum motor power	W	2x 750
Brush motor power	W	190
Capacity	l	5
Brush speed	rpm	290
Brush diameter	cm	15
Sound pressure level	dB(A)	79
Dimensions (L x W x H)	cm	89 x 46 x 23
Weight	kg	44
Cable length	m	15
Warranty	1 year subject to conditions	





# TruSweep 460



A manual sweeper that is lightweight and robust, ideal for small warehouses, pavements and parking areas where power is not easily accessible or a powered sweeper is not affordable.

- Picks up polystyrene, leaves, crisps, cigarette ends and other debris from hard floors
- The adjustable side brush allows for up to the edge sweeping
- The main brush pressure can be adjusted to suit floor conditions and types of debris



Model		TruSweep 460
Product Code		TRUS460
TECHNICAL SPECIFICATION		
Capacity	litres	40
Productivity Rate	m²/h	2600 (at 4 km/h)
Brush speed	rpm	273 (at 4 km/h)
Brush diameter	cm	23
Working width	cm	65
Dimensions (L x W x H) with handle and side brush	cm	100 x 79 x 102
Dimensions (L x W x H) without handle or side brush	cm	80 x 73 x 40
Weight	kg	26
Warranty		1 year subject to conditions

## ACCESSORIES

Part No.	Description	X46
BRUSHES		
05-4096-0000	Set of Nylon brushes for routine cleaning	●
05-4097-0000	Set of Tynex brushes for occasional deep cleaning	●
VACUUM BAGS		
02-4372-0000	Pack of 10 disposable bags	○
● Standard   ○ Optional		

# AIR MOVERS

A range of high performance carpet and room dryers that significantly reduce drying time of carpets, walls and ceilings, and are ideal for use after floods, spillages or extraction cleaning.





This aerodynamic carpet and room dryer delivers powerful air movement and offers a durable solution for many environments including cleaning and restoration.



- 3 speed settings for controlled drying
- Ultimate manoeuvrability with carry handle
- Stackable for easy storage

This dryer is one of the most effective solutions for structural drying after floods or leaks.



- High-volume, high-velocity airflow for the fastest possible drying
- Model available with built in trolley for easy transport

Compact, lightweight and powerful carpet dryer.



- High airflow for rapid drying
- Three-speed switch to select the optimal airflow for the job
- Easy-carry handles for comfortable portability
- Multiple position settings

Model		AM3000	Axial Fan	Hybrid Blower3400
Product Code		AM3000	AF	HB3400
TECHNICAL SPECIFICATION				
Voltage AC (~)/ Frequency	V/ Hz	220-240/50	230/ 50-60	220 – 240 / 50
Motor power	W	500	414	320
Airflow rate	FPM	3150	1979	2722
Speeds		3	2	3
Thermal overload		✓	✓	✓
Kickstand		✓	-	✓
Telescopic handle and wheels		-	-	-
Dimensions (L x W x H)	cm	38 x 47 x 46	59 x 57 x 56	56 x 42 x 29
Weight	kg	10.2	17	8
Cable length	m	6	6	6
Warranty			1 year subject to conditions	

## ACCESSORIES

Part No.	Description	Axial Fan
CASTOR KITS		
PDF5C	Castor kit	<input type="radio"/>

● Standard    ○ Optional

## NOTES

[illegible]





TRUVOX INTERNATIONAL LTD is a leading global manufacturer and supplier of commercial floorcare machines, based in Southampton, England.

From the production of its first electrical polishing machines in the early 1960's, Truvox has successfully expanded both its product range and its geographic reach to a point where it is now recognised in over 70 countries worldwide.

Offering a wide range of well established brands and products that include Orbis rotary burnishers, Hydromist carpet extractors, Valet vacuums, Multiwash scrubber dryers and Cimex three brush technology.

Meeting the needs of a wide range of markets including healthcare, education, retail and facility managers, Truvox work directly and indirectly through a network of dedicated dealers based across the UK and worldwide.

Priding itself in being a world leader in the design and production of innovative floorcare machines, Truvox demonstrates thorough attention to quality standards and is a BSI Registered Company (BS EN ISO 9001:2015).

In 2007 Truvox became part of the Tacony Corporation based in St. Louis, Missouri, USA, providing it with a world class development facility, access to an even wider range of product permutations and extensive sourcing options including manufacturing in the UK, USA, China and India.



Certificate number FM01963



#### UK Sales

Tel: +44 (0) 23 8070 6600  
Fax: +44 (0) 23 8070 5001  
sales@truvox.com  
for machines, accessories  
and chemicals

#### Service, Spares and Consumables

Tel: +44 (0) 23 8070 6601  
Fax: +44 (0) 23 8070 5001  
service@truvox.com  
for service, warranty and  
technical support

#### Export

Tel: +44 (0) 23 8070 6615  
Fax: +44 (0) 23 8070 5001  
export@truvox.com  
for export trade enquiries

#### Marketing

Tel: +44 (0) 23 8070 2200  
Fax: +44 (0) 23 8070 5001  
marketing@truvox.com



Truvox International Limited  
Unit C (East), Hamilton Business Park, Manaton Way, Botley Road, Hedge End, Southampton, SO30 2JR, UK  
Tel: +44 (0) 23 8070 6600 Fax: +44 (0) 23 8070 5001 Email: sales@truvox.com Web: www.truvox.com  
Truvox reserves the right to change specifications without notice

# Global Floorcare Solutions